

Weller®

Soldering Equipment, Power and Hand Tools, Kits, and Accessories

Catalog 603

contents

Temperature Controlled Stations 3

Soldering Stations, Controlled Output 4-5

De-Soldering/Re-Soldering Station 6

De-Soldering Adaptor 5-7

Irons, Controlled Output 7

Stands, Soldering Tool 5-7

Irons, Professional 8

Tool Kit, Electronic 13

De-Soldering/Repair Tool 8

Accessories 9

Guns 10

Irons, Cordless 13

Irons, Marksman 11

Soldering Kits, Hobbyist 12-13

Mini-Shop Kits 14

Tool Wall Modules 18-20

Merchandiser Displays 16-17

National Stock Numbers 15

Numerical Index 16

Weller® Temperature Controlled Soldering Stations

Temperature Controlled Model EC 2000 Soldering Station

Technologically the most advanced soldering station on the market. Tip temperature range from 350°F to 850°F may be selected and locked at any desired temperature by the operator. Actual tip temperature is shown on a large three digit LED digital display to within 1°F by setting a selector switch in the "read" position. Tip temperature is maintained at the desired setting by a platinum positive temperature coefficient sensor. It is not affected by varying line voltages, voltage spikes, or line noise nor does it create line noise because of an interference free design. (Zero crossing control of heater current eliminates Rfi/EMI; time proportioning reduces tip temperature hysteresis.) Capable of delicate soldering applications. Plug in soldering irons with positive plug lock, grounded tip, and room temperature compensation are interchangeable with all EC power units without recalibration of the temperature setting.

Tip is grounded by a three wire power cord and non-inductive windings for safety. A circuit breaker prevents overloading. Power unit has extra large sponge, iron holder, tip holding tray, solder drip shield, and lighted on/off switch.



Temperature Controlled Model EC 1000 Soldering Station

The EC 1000 Soldering Station is identical to the EC 2000 except that it does not have a LED display. The EC 1000 is dial controlled and is calibrated in 10°F steps. It has the same modern lines for operator conveniences and Weller durability. Both the EC 1000 and the EC 2000 meet government specification requirements for contract work.

EC1000/2000 Replacement Parts List

Part Number	Description	Std. Ctn.
EC 1000	Complete station without Digital display	1
EC 1002	Power Unit Only for EC 1000 220/240V	1
EC 2000	Complete Station with Digital display	1
EC 2002	Power Unit only for EC 2000 200/240V	1
EC 1201	Soldering Iron with ETA Tip	1
EC 205	Sponge (Pkg. of 10)	1
EC 208	Heater Assembly	1
EC 209	Control Board complete with control potentiometer & Receptacle — calibrated	1
EC 210	Display Board — calibrated	1
EC 211	Power Transformer	1
EC 212	Circuit breaker	1
BA 60	Barrel Nut Assembly	1
ETA	Tip 1/16" Screwdriver	10
ETB	Tip 3/32" Screwdriver	10
ETC	Tip 1/8" Screwdriver	10
ETD	Tip 3/16" Screwdriver	10
ETH	Tip 1/32" Screwdriver	10
ETK	Tip 3/64" Long Screwdriver	10
ETL	Tip 5/64" Long Screwdriver	10
ETO	Tip 1/32" Long Conical	10
ETP	Tip 1/32" Conical	10
ETS	Tip 1/64" Conical	10

Weller® Controlled-Output Soldering Station



Model WTCPN, Controlled-Output Soldering Station

Exclusive Weller closed loop, low-voltage circuit automatically controls output and temperature in three ranges: 600°F, 700°F, and 800°F. Temperature selected simply by changing the gounded, heat-sensing tip with knurled thumbscrew. Safe for IC soldering. Comfortable, lightweight pencil iron has heat shield, non-burnable silicone rubber cord, and locking design for easy interchangeability. Power unit, with contemporary, impact-resistant case, has unitized on/off toggle switch and neon indicator light, non-heat-sinking iron holder, storage tray for extra tips, and tip-cleaning sponge with receptacle. 3-wire 6 ft. long cord. 120V, 60 Hz, 60W. Furnished with 1/16" screwdriver tip, 700°F. PTA7. UL-Listed.

Note: Model WTCPN replaces Model WTCPL.

Replacement Parts and Accessories

Cat. No.	Description	Std. Ctn.
TC201	Soldering Pencil w/PTA 7 Tip	1
TC202	Power unit only includes sponge, Iron holder and tip tray	1
TC203	Cord Set w/handle	1
TC204	Iron Holder w/funnel	1
TC205	Sponge	10
TC206	Tip Tray	1
TC207	Switch/Light for Power Unit	1
TC208	Heater Element for Soldering Pencil	1
SW60	Switch Assembly for Soldering Pencil	1
BA60	Barrel Nut Assembly for Soldering Pencil	1

Replacement and extra soldering tips for Models WTCPN, WTCPL and WTCPZ

Weller industrial soldering tips have heavy iron plating, with anti-wetting chrome coating. Genuine Weller tips for WTCPN, WTCPL and WTCPZ are all marked with the "Weller" name and style. Stamped on the base is the numeral 6, 7, or 8, indicating the control temperatures 600°, 700°, or 800°F.

Tip Size	Description	Reach	Catalog Numbers 600°F	700°	800°
1/16"	Screwdriver	5/8"	PTA6	PTA7	PTA8
1/16"	Single Flat	5/8"	PTAA6	PTAA7	PTAA8
3/32"	Screwdriver	5/8"	PTB6	PTB7	PTB8
3/32"	Single Flat	5/8"	PTBB6	PTBB7	PTBB8
1/8"	Screwdriver	5/8"	PTC6	PTC7	PTC8
1/8"	Single Flat	5/8"	PTCC6	PTCC7	PTCC8
3/16"	Screwdriver	3/4"	PTD6	PTD7	PTD8
3/16"	Single Flat	3/4"	PTDD6	PTDD7	PTDD8
15/64"	Screwdriver	3/4"	PTE6	PTE7	PTE8
1/32"	Conical Flat	5/8"	PTF6	PTF7	PTF8
1/32"	Screwdriver	5/8"	PTH6	PTH7	PTH8
3/64"	Long Scwdr.	1"	PTK6	PTK7	PTK8
5/64"	Long Scwdr.	1"	PTL6	PTL7	PTL8
1/32"	Long Scwdr.	1"	PTM6	PTM7	PTM8
1/32"	Long Conical	1"	PTO6	PTO7	PTO8
1/32"	Conical	5/8"	PTP6	PTP7	PTP8
1/16"	Narrow Scwdr.	5/8"	PTR6	PTR7	PTR8
1/64"	Long Conical	1"	PTS6	PTS7	PTS8



Document provided free at www.StevenJohnson.com - Not For Resale

Weller® Controlled-Output Soldering Stations



Model WTCPZ Zero Voltage Soldering Station

The WTCPZ has a controlled output power unit identical to WTCPN model but offers the TC201Z Pencil which has a special zero voltage electronic switching circuit that prevents possible damage due to voltage transients.

TC201Z Zero Voltage Soldering Pencil

The TC201Z Pencil offers a stainless steel heater element, non burning silicon rubber cord and takes same replacement tips as previous models and cords with PTA7 Tip. The current owner of a WTCPN can convert his unit simply by replacing the soldering pencil with this zero voltage version.

Model DSTCP De-Soldering Adapter

Versatile attachment for Models WTCPN, WTCPZ and WTCPL permits operator to desolder and resolder with the same tool. Available de-soldering tiplets listed under Model DS40 De-Soldering/Repair Tool on page 29.

WM120 Pencil Thin Soldering Iron

The Weller WM120 — 12 Watt miniature packs quality features standard from Weller into a lightweight, pencil thin soldering iron with a break-resistant stay-cool handle.

Designed for soldering miniature heat and voltage sensitive components where precision touch is essential, the WM120 weighs .7 ounces and measures 7" less tip. It develops a tip temperature of 800°F and accommodates the Weller MP series of automatic slide-in tips.



Soldering Tool Stand For WM120 Iron

Model PHM120

Soldering Tool Stand with base, sponge, and receptacle.

MP Series Miniature Controlled-Output Soldering Stations

Especially designed for printed circuit electronic work. The famous Weller closed-loop temperature control circuit and grounded tip protect sensitive components from heat damage. Tip temperature of 650°F or 750°F is selected by changing the plug-in iron, which operates on low voltage and has burn resistant silicone rubber cord for added safety and longer life. High impact-resistant housing has non-heat-sinking iron holder plus tip-cleaning sponge and receptacle. Variety of tips available for special applications. 3-wire cord, 120V, 60/400Hz, 22W. Furnished with .020" conical tip, MP131. UL-listed. Power Cord 6 ft., Iron Cord 4 Ft.

Cat. No.	Description	Std. Ctn.
MP156	MP101 Power Unit with MP126 Pencil — 650°F	6
MP157	MP101 Power Unit with MP 127 Pencil 750°F	6

Replacement and extra parts

Cat. No.	Description	Packed
MP101	MP Power Unit (Less Soldering Pencil)	1/Box
MP126	650° Soldering Pencil with MP131 tip	1/Box
MP127	750° Soldering Pencil with MP131 tip	1/Box
MP131	Micro Point Tip	1/Box
MP132	Bent Conical Tip	1/Box
MP133	Spade Tip	1/Box
MP134	Bent Conical	1/Box
MP135	Spade Tip	1/Box
MP136	Narrow Screwdriver	1/Box
MP137	Screwdriver	1/Box
MP138	Chisel	1/Box
MP201	Transformer w/Terminals	1/Box
MP202	Sponge	10/Box
MP210	Barrel Nut Assembly	1/Box
MP213	Funnel	5/Box
MP214	Iron Holder Assembly	1/Box
MP303	Iron Receptacle w/Control Circuit	1/Box
MP304	Switch w/Light	1/Box

Replacement and extra soldering tips for MP & WMCP Stations & WM120 Iron

Top quality, iron plated tips with anti-wetting chrome coating.





Weller® Controlled-Output De-Soldering & Re-Soldering Stations



Replacement and extra soldering tips — same as WTOPN see page 24.



Model DS100 Controlled-Output De-Soldering and Re-Soldering Station

The Weller power vacuum De-Soldering and Re-Soldering Station is specifically designed for printed circuit board repair on re-work lines. Famous Weller closed-loop temperature control circuit and grounded tips protect sensitive components while soldering or de-soldering. Choice of 600°, 700°, or 800°F, controlled soldering temperature by changing special heat-sensing tips. De-soldering temperature controlled at 700° or 800°F through interchangeable heads. See-thru solder collector is easy to clean or replace. Burn resistant silicone rubber cords and low-voltage tool imputs give longer life and added safety. High impact-resistant tool handles and stainless steel barrels mean longer tool usage. Operates from factory air (30-130 p.s.i.) and line voltage. Complete with foot switch, indicating light/on-off switch, dual safety tool holder, vacuum adjustment gauge, 5 assorted tiplets (DS110-DS114) for desoldering iron. 1/16" screwdriver soldering tip for 700°F operation (PTA7), holder for tip-cleaning sponge and spare tiplets, and instructions. 3-wire power cord, 120V, 50/60Hz, 110W. UL-listed.

Accessory

DS202 INSTALLATION KIT
Includes: 10 ft. 1/4" O.D. poly tubing and one each 1/4" x 1/8" tubing fitting, 1/4" x 1/4" tubing fitting, 3/8" x 1/4" bushing, 1/2" x 1/4" bushing, coupler, and nipple.

Replacement and extra parts

Cat. No.	Description	Packed
DS101	Soldering Iron with PT7A tip	1/Box
DS102	De-Soldering Iron w/700° Head	1/Box
DS103	Collector Tube with gasket and filter	5/Box
DS104	Clean Out Tool	5/Box
DS105	Sponge Holder w/Sponge and Clean Out Tool	1/Box
DS106	Sponge	10/Box
DS107	Tool Holder	1/Box
DS108	Retainer Springs	5/Box
DS203	Fuses 3.2A Type N	5/Card
DS204	Filter	10/Box
DS205	In Line Filter	10/Box
DS217	De-Soldering Head 700° w/Spring	1/Box
DS218	De-Soldering Head 800° w/Spring	1/Box
DS220	Vacuum Hose, 18 feet	1/Box
DS225	Transducer Assembly	1/Box

Replacement and extra de-soldering tiplets

DS110 DS115

Cat. No.	O.D.	I.D.	Length	Packed
DS110	.060"	.025"	.50"	5/Card
DS111	.090"	.025"	.50"	5/Card
DS112	.076"	.036"	.50"	5/Card
DS113	.098"	.045"	.50"	5/Card
DS114	.125"	.071"	.50"	5/Card
DS115	.060"	.025"	.75"	5/Card
DS116	.098"	.045"	.75"	5/Card
DS117	.090"	.025"	.75"	5/Card



Model DS500 Temperature-Controlled De-Soldering Station

Stainless Steel lined de-soldering tiplets draw molten solder into see-through collecting tube that is easily cleaned or replaced. Vacuum is created by conversion of air pressure through a special transducer. The station is designed to use air from an exterior air system. A foot switch turns the vacuum off and on. Vacuum level is adjusted by an air pressure regulator. Cabinet-mounted gauge shows vacuum level. Easy maintenance is a primary feature of the DS500.

Other temperature controlled system features include:

- De-soldering tiplets available.
- Stainless steel liners brazed to tiplets for better heat transfer & longer life.
- Lighted on-off power switch.
- Quick-connect locking plug to prevent accidental loss of power.
- Collector tube filter to prevent solder from entering and clogging vacuum tube.
- Vacuum adjustable from 5-20" Hg.
- Operates easily using factory air.
- Available in 700°F and 800°F versions.

Cat. No.	Description	Std. Ctn.
DS500	Desoldering Station	1
DS501	Power Supply for DS500	1
DS502	Foot Switch for DS500	1
DS503	Tool Holder for DS500	1
DS504	Transducer for DS500	1

Weller® Models W60 & W100 Controlled-Output Soldering Irons



MODEL W60
7¼ in. long.
Weight 2½ oz.
6 Ft. Cord

MODEL W100
8¼ in. long.
Weight 3½ oz.
6 Ft. Cord

Models W60 and W100 Controlled Output Soldering Irons

High quality portable tools for production work with all the benefits of controlled output and temperature. Temperature selection (600°, 700°, or 800°F) by merely changing tips. Light blue color. 120V. 50/60 Hz. Use with Weller PH and SF series soldering tool stands to effect a complete soldering station.

Model	Description	Tip	Packed	Ctn. Wgt.*
W60	W60, 2-Wire Cord	700° F, 1/16" screwdriver CT5A7	6/ctn.	2¾ lb.
W60-3	60W, Round 3-Wire Cord		6/ctn.	4 lb.
W100	100W, 2-Wire Cord	700°F, 3/8" screwdriver CT6F7	6/ctn.	3⅓ lb.
W100-3	100W, round 3-Wire Cord		6/ctn.	4¾ lb.

*Carton size: 5¾" x 11½" x 5¼"

Replacement and extra soldering tips for W60 and W100

Top quality, iron plated tips with anti-oxidation nickel coating.

For Model	Tip Size	Description	Reach	Catalog Numbers 600°F	700°F	800°F
W60	1/16"	Screwdriver	15/32"	CT5A6	CT5A7	CT5A8
W60	3/32"	Screwdriver	15/32"	CT5B6	CT5B7	CT5B8
W60	1/8"	Screwdriver	15/32"	CT5C6	CT5C7	CT5C8
W60	3/16"	Screwdriver	15/32"	CT5D6	CT5D7	CT5D8
W60	1/4"	Screwdriver	15/32"	CT5E6	CT5E7	CT5E8
W100	1/8"	Screwdriver	15/32"	CT6C6	CT6C7	CT6C8
W100	3/16"	Screwdriver	15/32"	CT6D6	CT6D7	CT6D8
W100	1/4"	Screwdriver	15/32"	CT6E6	CT6E7	CT6E8
W100	3/8"	Screwdriver	15/32"	CT6F6	CT6F7	CT6F8



Model DS60 De-Soldering Adaptor

For use with Model W60 Iron. Available desoldering tiplets listed under Model DS40 De-Soldering/Repair Tool on page 29.

Soldering Tool Stands for W60 and W100

NOTE: The temperature of these irons is automatically controlled, therefore the use of improper metallic stands will affect the life of both tool and tip. The following Weller stands are recommended for use with W60 and W100 irons because they employ the non-heat-sinking tool holder of the spring funnel type, designed so that the tip and barrel cannot have heat inadvertently drawn off by contact with the spring.

Model PH60

Soldering Tool Stand with base, sponge, and receptacle. For W60, WP25, WP40, and irons with barrel diameters up to 15/32".

Model PH100

Same as PH60, but for W100 and irons with barrel diameters up to 19/32".

Model SFA60

Side Rail Stand, for attachment to wall or bench. For Model W60 and irons with barrel diameters up to 15/32".

Model SFA 100

Same as SFA60, but for W100 and irons with barrel diameters up to 19/32".

Replacement parts for soldering tool stands

SFW60 — spring funnel only for PH60 stand
SFW100 — spring funnel only for PH100 stand
SP60 — sponge only for PH60 and PH100 stands

Weller® Professional Soldering & Servicing Equipment





Models WP25 and WP40 Professional Soldering Irons

Top quality, industrial grade tools develop 750°F temperature. Rugged stainless steel barrel construction. Long life double coated tips. High efficiency. Popular pencil styling. Light blue handle with black heat shield. Only 7⅞" long; 1¾ oz. 120V, 50/60 Hz. 6 blister-packed or boxed per 6½" x 11" x 6 master carton. 4 Ft. Cord. UL-listed.

Model	Description	Tip	Packed
WP25	25W, 2-Wire Cord	ST1, 1/16" screwdriver	4¼" x 11 x 1⅜" blister card
WP25-3	25W, 3-Wire Cord		boxed
WP40	40W, 2-Wire Cord	ST3, 1/8" screwdriver	4¼" x 11 x 1⅜" blister card
WP40-3	40W, 3-Wire Cord		boxed

Replacement and extra soldering tips

Top quality, iron plated tips with anti-wetting chrome coating. All tips are pre-tinned.

Cat. No.	Tip Size	Description
ST1	1/16"	Screwdriver
ST2	3/32"	Screwdriver
ST3	1/8"	Screwdriver
ST4	3/16"	Screwdriver
ST5	1/32"	Single Flat
ST6	1/32"	Screwdriver
ST7	1/32"	Conical
ST8	1/16"	Narrow Screwdriver

Soldering Tool Stands for WP25 and WP40

Model PH25

Versatile bench stand can be either free standing or mounted. Sturdy aluminum construction. Prevents accidental burns on bench or work surface. Keeps iron handy and ready for soldering.

Model PH60

See description and illustration on page 27 under Models W60 and W100 irons.

Model SFA1

Iron holder less base, for attachment to wall or bench. Also for other Weller irons with barrel diameters up to 3/8". See also Models SFA60 and SFA100 on page 27, under Models W60 and W100 irons.

Model DS40 De-Soldering/Repair Tool

A valuable repair tool for servicing printed circuit boards and solid state electronics, allowing components to be removed and replaced quickly with less chance of heat damage. Complete unit includes 40W, 120V tool with 2-wire cord and heat shield, vacuum bulb, de-soldering assembly, and nickel-plated tiplet with .063" opening. UL-listed.

Model DS40-3 De-Soldering/Repair Tool

Same as Model DS40, but with 3-wire cord.

Replacement and extra tiplets* for DS40, DS60, and DSTCP

Cat. No.	O.D.	I.D.	Reach
DST1	.078"	.038"	.500"
DST2	.095"	.046"	.500"
DST3	.125"	.059"	.500"
DST4	.135"	.063"	.500"
DST5	.155"	.078"	.500"
DST6	.170"	.090"	.375"

*May be used also with DS100, but with possibility of reduced tip life.

Model TCP12 Field Soldering Iron

Versatile controlled output tool for field servicing. Operates from suitable batteries or low voltage power source supplying 12 to 14 volts. Complete with battery clips and 12 ft. cord. Tip temperature is 700°F. Screwdriver blade tip is 3/16" wide. U.L. Listed.

Model TCP24 Field Soldering Iron

Versatile controlled output tool for field servicing. Operates from suitable batteries or low voltage power source supplying 24 to 28 volts. Complete with battery clips and 12 ft. cord. Tip temperature is 700°F. Screwdriver blade tip is 3/16" wide. U.L. Listed.

Weller® Industrial & Service Equipment

Model GT7A Solid State Soldering Gun

Temperature controlled at 700°F with fast, 6-second heat-up. Interchangeable power heads give optional 600°F capability. Designed for modern solid state electronic work and will not damage sensitive components. Light, 7-oz. overall weight. Slim, long-reach barrel has double-coated 3/16" chisel tip tested for 30,000 connections. 120V, 60Hz, 150W, 2-wire cord. UL-listed. Carded. Packed 6 per master carton measuring 8¼" x 7⅜" x 12⅝" and weighing 5 lbs.

Model GT6B Gun

Same as Model GT7A except furnished with 600°F power head with ⅛" cone point.

Model GT7A-3 Gun

Same as Model GT7A except furnished with 3-wire cord and packed 6 per master carton measuring 9¼" x 8¼" x 12⅝" weighing 5 lbs.

Model GT6B-3 Gun

Same as Model GT7A except furnished with 3-wire cord.

Replacement Power Heads for Models GT7A and GT6B

Catalog No. 7A — 700°F, 3/16" chisel tip, blister-packed.

Catalog No. 6B — 600°F, ⅛" cone point, blister-packed.

Replacement Handle for Models GT7A and GT6B

Catalog No. GT — Handle only with trigger and cord.

Model RC60 Rosin-Core Solder

13 ft. of .040" diameter, 60/40 premium-alloy, activated rosin-core solder especially formulated for electronics work. Net weight .73 oz. Dispenser tube with hang-up eye. Packed 24 per master carton measuring 5¼" x 11" x 4⅝" and weighing 1½ lbs.

Model AC40 Acid-Core Solder

5 ft. of .062" diameter, 40/60 alloy, acid-core solder principally for sheet metal work. Net weight .88 oz. Carded. Packed 12 per master carton measuring 10½" x 11½" x 13½" and weighing 1 lb.



Accessories

Model AC303P De-Soldering Bulb

Ideal for electronic kit building or electrical work, the bulb may be used with any Weller soldering iron. Tip is made of a highly heat-resistant material which will not scratch delicate PC boards. Carded.

Model RC40 Rosin-Core Solder

5 ft. of .062" diameter, 40/60 alloy solder, excellent for electrical/electronics use. Net weight .88 oz. Carded. Packed 12 per master carton measuring 10½" x 11½" x 13½" and weighing 1 lb.



Weller® Soldering Guns & Kits

Model 8200W All-Purpose Gun (140/100 Watts)

Fingertip, trigger selection of high or low output from this instant-heat gun that's ready to solder in 6 seconds. High efficiency tip of pre-tinned pure copper. Light illuminates work. Compact, balanced pistol-grip design. "Soldering Hints" booklet included. 120V, 60Hz, 2-wire cord. UL-listed. Carded. Packed 6 per master carton weighing 17 lbs.

Model 8200-3 Gun

Same as Model 8200W except 3-wire cord.

Model 8200 Gun

Same as Model 8200W except boxed.

Model 8200 PK Kit

8-piece kit includes Weller Model 8200 dual-heat soldering gun with pre-tinned copper tip, 2 extra un-tinned copper tips, tip-changing wrench, flux brush, soldering aid tool, coil of 40/60 rosin-core solder, and sturdy plastic carrying case, plus "Soldering Hints" booklet. UL-listed. Packed 6 per master carton weighing 20½ lbs.



Model D550 Heavy-Duty Gun (260/200 Watts)

Highest output gun with 2-position trigger selection of dual heats. Heavy gauge, high efficiency, pre-tinned copper tip comes up to temperature in 6 seconds. Balanced pistol-grip design with twin lights to illuminate work. Complete with "Soldering Hints" booklet. 120V, 60Hz, 2-wire cord. UL-listed. Boxed. Packed 6 per master carton weighing 25½ lbs.

Model D550-3 Gun

Same as Model D550 except 3-wire cord.

Model D550PK Kit

8-piece heavy-duty soldering kit featuring the versatile Weller Model D550 soldering gun with pre-tinned heavy copper tip. Kit also includes 2 spare un-tinned tips, tip-changing wrench, flux brush, soldering aid tool, coil of 40/60 rosin-core solder, and strudy plastic carrying case, plus "Soldering Hints" booklet. UL-listed. Packed 6 per master carton weighing 26 lbs.

Model 9200K Kit

Ideal gun that works on home and hobby projects of all kinds, applying a "warm" touch to jobs that are hard, sometimes impossible to do without the application of heat. The Instant Heat Gun can be used to cut vinyl tile or vinyl wall and floor covering sheets; to cut plastic cords; to seal and smooth plastics; to cut through thermoplastic materials; as well as the traditional soldering gun uses on metal or electrical connections. Weight 2 lbs., 5 oz. Packed 6 per master carton weighing 18½ lbs.



Replacement and Extra Tips For 8200, D550, & D440 Soldering Guns

All tips carded as described in individual listings at right. Standard pack 6 cards per carton.

For 8200 Models

Catalog No. 8125 — Premium iron- and tin-plated soldering tip for longer life (2 per Display Card).

Catalog No. 8125N — Premium iron- and tin-plated soldering tip with tip nuts (1 per Display Card).

Catalog No. 7135 — Copper soldering tip (2 per Display Card).

Catalog No. 7135N — Copper soldering tip with tip nuts (1 per Display Card).

For D550 Models

Catalog No. 7250 — Copper soldering tip (2 per Display Card).

Catalog No. 7250N — Copper soldering tip with tip nuts (1 per Display Card).

Catalog No. 6110 — Cutting tip, nickel-plated copper (1 per Display Card with tip nuts).

Catalog No. 6120 — Smoothing tip, nickel-plated copper (1 per Display Card with tip nuts).

Catalog No. 6130 — Cutting tip, nickel-plated copper (1 per Display card with tip nuts).

Catalog No 6140 — Smoothing tip, nickel plated copper (1 per Display Card with tip nuts).

For D440 Models

Catalog No. 7135 — Copper soldering tip (2 per Display Card).

Catalog No. 6110 — Cutting tip, nickel-plated copper (1 per Display Card with tip nuts).

Catalog No. 6120 — Smoothing tip, nickel-plated copper (1 per Display Card with tip nuts).

Model SP23 Iron (25 Watt)

Featherweight soldering iron with replaceable tip and pencil handle, designed for hobbies, kits, radios. 1/8" tip develops 750°F. 120V, 2-wire cord. 8 1/4" long. Weighs 1 3/4 oz. Card measures 4 1/4" x 11" x 1 1/8". Packed 12 cards per master carton weighing 5 1/8 lbs. and measuring 5 3/4" x 11 1/4" x 7 1/2".

Model SP40 Iron (40 Watt)

Lightweight pencil iron for hobby and electronic work. 1/4" diameter tip develops 900°F. 120V, 2-wire cord. 8 1/4" long. Weighs 2 oz. Card measures 4 1/4" x 11" x 1 1/8". Packed 6 cards per master carton weighing 2 1/4 lbs. and measuring 6" x 11 3/8" x 4 3/8".

Model SP80 Iron (80 Watt)

Medium-duty pencil iron for hobby work, stained glass, and minor repairs. Includes soldering iron rest. 3/8" diameter tip develops 900°F. 120V, 2-wire cord. 9 3/8" long. Weighs 4 oz. Card measures 4 1/4" x 1 3/4" x 1 1/4". Packed 6 cards per master carton weighing 3 lbs. and measuring 5 1/2" x 12" x 5".

Model SP120 Iron (120 Watt)

Heavy-duty iron for greater output. Ideal for home work-shop and repairs, stained glass, and hobbies. Includes soldering iron rest 1/2" diameter tip develops 900°F, 120V, 2-wire cord, 11 3/8" long. Weighs 10 oz. Card measures 5 3/16" x 16" x 1 1/2". Packed 3 cards per master carton weighing 3 1/2 lbs. and measures 6 1/4" x 17" x 3 1/4. MTG30 tip available for working with stainglass.

Model SP175 Iron (175 Watt)

Extra heavy-duty iron for demanding jobs like sheet metal work. Soldering iron rest included. 5/8" diameter tip develops 900°F. 120V, 2-wire cord. 12 1/2" long. Weighs 1 lb. Card measures 5 3/16" x 16" x 1 1/2". Packed 3 cards per master carton weighing 4 lbs. and measuring 6 1/4" x 17" x 3 1/4".

Replacement and Extra Tips for Marksman Irons and Kits

These quality tips are made from nickel-plated copper and are available in a variety of styles. Carded as shown below, and packed 6 cards per carton measuring 2 7/8" x 1 3/4" x 6 1/2".

Cat. No.	For Model	Tip Size	Description	Packed
MT1	SP23	1/8"	Cone Shape	2/Card
MT2	SP23	1/8"	Screwdriver	2/Card
MT3	SP23	1/8"	Chisel	2/Card
MT5	SP23	1/8"	Woodburning	1/Card
MT6	SP23	1/8"	Smoother	1/Card
MT7	SP23		Macrame	1/Card
MT10	SP40	1/4"	Chisel	2/Card
MT20	SP80	3/8"	Chisel	1/Card
MT30	SP120	1/2"	Chisel	1/Card
MTG30	SP120		Stained Glass	1/Card
MT40	SP175	5/8"	Chisel	1/Card
HK11	SP23	1/8"	Blade and Chuck	1/Card



Weller® Series SP-Marksman Soldering Irons and Kits

These fine quality soldering irons feature stainless steel barrels, replaceable nickel-plated copper tips, and heat/impact-resistant handles. All UL-listed.

Weller®
Soldering Kits For The Professional Or Hobbyist



Model SPG80 Stained Glass Soldering Iron

The Weller SPG80 is specifically designed for stained glass work. This Medium Duty 80-watt soldering iron has been introduced by Weller for the growing stained glass art and hobby craft group. It comes complete with two new, long-life iron plated tips and a soldering iron stand.

The new SPG80, with 1/4" and 3/8" chisel-shaped tips develops 900°F. tip temperature for precision soldering of the most intricate work. It measures 9 1/4", weighs 7 ozs.

Cat. No.	Description	Std. Ctn.
SPG80	Stained Glass Soldering Iron	6
MTG20	For SPG80 3/8" Iron Plated Chisel	6
MTG21	For SPG80 1/4" Iron Plated Chisel	6
MTG30	For SP120 1/2" Iron Plated Chisel	6

Model SP23MS Macrame' Slicer/Splicer

The Weller SP23MS makes it easy to work with poly cords. It's unique tip, boosted by just the right touch of heat, glides through cord to make a ravel-free cut. Bonding cords together for changes in color or texture takes only seconds. Helpfull hints and instructions on back of card. Carded. UL-Listed. Packed 12 cards per master carton.

Cat. No.	Description	Std. Ctn.
SP23MS	Macrame' Slicer/Splicer	12
MT7	Tip (1/Card)	6 Cards

Model SP23HK Hot Knife

The Weller SP23HK is designed for cutting through plastic and other man-made materials. The super sharp precision blade is boosted with just the right amount of heat for quick, clean accurate cuts. Kit includes Weller's SP23 iron, HK11 1/8" blade and chuck and MT1 1/8" cone shape solderingr tip. Carded. UL-Listed. Packed 12 cards per master carton.

Cat. No.	Description	Std. Ctn.
SP23HK	Hot Knife	12
HK11	1/8" Blade & Chuck	1
MT1	1/8" Cone Tip (2/Card)	6 Cards

Model SP23K Kit

Includes Weller's SP23 iron, three different pretinned 1/8" diameter tips of plated copper. 40/60 rosin core solder. Helpful hints and instructions on back of card. Carded. UL-listed. Card size: 6" x 11" x 1 1/4". Packed 12 cards per master carton weighing 6 lbs. and measuring 8" x 7 1/4" x 11 1/8".

Weller® Soldering And Electronic Kits For The Professional Or Hobbyist

Model WC100K Kit

Weller 11-piece kit includes Model WC100 cordless iron; power re-charger; regular, fine-point, and long-reach tips; screwdriver; soldering aid tool; sponge; rosin-core solder; instruction book; and carrying case. Unit weight 1 lb. 8 oz. Unit size 9½" x 2¾" x 8½". Case weight 10 lb. 8 oz. Case size 16¾" x 9¾" x 8 ¾".

Model WC100 Iron

For the technician and hobbyist this is the cordless to do the job! Heats up in six seconds. Develops tip temperature of 700°F+. Fast-power re-charger. Long life nickel cadmium batteries. Built-in work light. Fingerip control with safety-lock switch. Blister-packed on 8" x 12½" x 2¼" card, packed 6 per master carton weighing 5¼ lbs.

Replacement and Extra Tips for WC100 Irons and Kits

Packed 6 tips per carton measuring 2⅞" x 1¾" x 6½" and weighing 10 oz.

Cat No.	Tip Size	Description
WC111	1/8"	Diameter Tip
WC112	1/16"	Diameter Tip
WC113	1/16"	Long Reach Tip
WC114	1/32"	Conical Tip

WC111

WC112

WC113

WC114

Model 250K Electronic Tool Kit

Ideal 12-piece kit for the budding technician or for general use in countless electronic jobs. UL-listed. Housed in a compact, convenient plastic carrying case/storage tray and contains the following professional quality Weller and Xcelite tools:

Cat. No.	Description
WP25	Soldering Iron with 1/16" screwdriver tip, 750°F
ST2	Extra tip, 3/32" screwdriver
	Soldering Aid Tool
	Rosin-Core Solder
#8	1/4" Nutdriver
#R184	1/8" Blade driver for slotted screws
#X101	No. 1 Phillips-type Screwdriver
#41CG	4" Short Chain-Nose Pliers with cushion-grip
#54CG	4" Diagonal Cutting Pliers with cushion-grip
#100	Wire Stripper/Cutter with cushion-grip

Replacement and extra soldering tips

Same as for Model WP25 iron.

Model 230K Hobby Kit

Complete kit for hobbyists contains SP23 Soldering Iron in carrying case and tool tray, with 6 tips; cone soldering, screwdriver, chisel, smoothing, hot knife, and cone burning. Work sponge. Hot iron rest. Soldering aid tool. Rosin core solder. Instruction Booklet. UL-listed. Carton weight 8½ lbs. Carton quantity 6.



Weller® Mini-Shop Kits

Model 601K

46-piece kit that enables either the professional or the amateur to handle hundreds of jobs quickly and comfortably. Brush, clean, polish, sand, shape, grind, drill, sharpen, cut, rout, deburr . . . these and countless other operations are accomplished smoothly and quietly by the Mini-Shop Kit's compact, comfortably balanced power unit. Precision-wound permanent-magnet motor has 28,000 RPM output speed. 120V, 60Hz, 1.1 amp rating, with flat, flexible 3-wire cord. Includes all the accessories listed below except safety goggles and motor replacement brushes. Packed in convenient plastic carrying case and includes a booklet which illustrates use of each accessory. The kit contains a handy order form for replacements. Packed individually in an 8¾" x 10¼" x 3" case weighing 2 lbs. 6 ozs. or three units per 9⅜" x 10¾" x 9½" case weighing 8 lbs.

Power Unit Only 601 packed 3 per carton

Weller 601K Mini-Shop 46-piece kit contains:

601 Mini-Shop Power Unit

1-MS201	1-MS211	1-MS222
1-MS202	1-MS212	1-MS223
1-MS203	1-MS213	1-MS224
2-MS204	1-MS214	1-MS225
1-MS205	1-MS215	1-MS226
6-MS206	1-MS216	1-MS227
6-MS207	1-MS217	1-MS228
1-MS208	1-MS219	1-Owner's Manual
1-MS209	1-MS220	1-Storage Case
6-MS210	1-MS221	

Model 651K Variable Speed

Identical to Model 601K except that the power unit's output speed is adjustable by means of a continuously variable, solid-state control knob on the base of the unit, giving speeds from 5,000 RPM to 28,000 RPM. Permits user to match working speed to the requirements of the material being machined. Also included is high-speed steel engraving tip for permanent identification marking of most surfaces except hard steel and glass. Weight 2 lbs. Std. Pack 3.

Power Unit only 651 packed 3 per carton

Model 621K

This 21-piece Weller Mini-Shop Kit is a beginner's complete workshop. Power unit has a precision-wound permanent-magnet motor with a 28,000 RPM output speed. 120V, 60Hz, 1.1 am rating, with flat, flexible 3-wire cord. Power unit will accept other Weller Mini-Shop accessories. Std. Pack 6.

Weller 621K Mini-Shop 21-piece kit contains:

1-MS201	1-MS208	1-MS214	1-MS226
1-MS203	1-MS209	1-MS221	1-MS228
3-MS206	3-MS210	1-MS223	
3-MS207	1-MS212	1-MS225	

Model 641K Variable Speed

Identical to Model 621K except that the power unit's output speed is adjustable by means of a continuously variable, solid-state control knob on the base of the unit, giving speeds from 5,000 to 28,000 RPM. Permits the user to match working speed to the requirements of the material being machined. Weight 2 lbs. 3 oz. Std. Pack 3.

Power Unit only 651 packed 3 per carton.



Model 620K

14-piece Weller Mini-Shop Kit: A beginners complete workshop. Powerful high speed motor is same as in Model 601K. Power unit will accept other Weller Mini-Shop accessories. Std. Pack 6.

Weller Mini-Shop 14 piece kit contains:

601 Mini-Shop Power Unit

1-MS201	1-MS212	1-MS223
3-MS206	1-MS214	1-MS225
3-MS207	1-MS221	1-MS228

Weller® Mini-Shop Accessories

Replacement and Extra Accessories For Models 601K, 620K,621K, 641K & 651K

MS250
Polishing Kit



MS251
Sanding Kit

MS252
Grinding Kit

MS253
Cutting Kit

MS201	Cup Brush	1/pack
MS202	Disc Brush	1/pack
MS203	Wire Brush	1/pack
MS204	Abrasive Band (Coarse, 50 grit)	6/pack
MS205	Abrasive Band (Fine, 120 grit)	6/pack
MS206	Sanding Disc (Coarse, 80 grit)	12/pack
MS207	Sanding Disc (Fine, 120 grit)	12/pack
MS208	Felt Wheel	6/pack
MS209	Rubber Wheel	2/pack
MS210	Cut-off Wheel	3/pack
MS211	Expanding Drum	1/pack
MS212	Mandrel	1/pack
MS213	Ball Cutter (1/4" diam.)	1/pack
MS214	Cylinder Cutter (1/4" diam.)	1/pack
MS215	Collet (1/32")	1/pack
MS216	Collet (1/16")	1/pack
MS217	Collet (3/32")	1/pack
MS218	Collet (1/8")	1/pack
MS219	Grinding Wheel (1/4" x 1/2")	1/pack
MS220	Grinding Wheel (1/2" x 3/8")	1/pack
MS221	Grinding Wheel (3/4" x 3/8")	1/pack
MS222	Grinding Wheel (3/4" x 1/8")	1/pack
MS223	Grinding Point (1/4" x 5/8")	1/pack
MS224	Grinding Point (3/8" x 3/4")	1/pack
MS225	Grinding Point (1/2" x 3/32")	1/pack
MS226	Dressing Stone	1/pack
MS227	Drill (1/8")	1/pack
MS228	Wrench	1/pack
MS229	Safety Goggles	1/pack
MS231	Motor Brushes, (replacement set)	1/pack
MS232	Engraving Tip	1/pack

Weller® Merchandising Displays



TC72E Full-Line "Professional Soldering Center"

Topped by a double-faced header sign visible from any direction, this comprehensive selection of the fastest moving tools will command the attention of anyone engaged in industrial or service work. Free-standing floor merchandiser.

Contains Stock assortment, listed left-to-right:

Quantity	Catalog Number	Description
		Top Row
3	SP23K	Soldering Iron Kit with 25-watt Iron
3	SP23	25-watt Soldering Iron
3	SP40	40-watt Soldering Iron
3	WP25	25-watt Professional Soldering Iron
3	WP40	40-watt Professional Soldering Iron
3	DS40	40-watt Desoldering/ Repair Tool
		2nd Row
10	7135	Soldering Tip for Models 8100, 8200, & D440 Guns (packed 2 per card)
10	7250	Soldering Tip for Models D550 & 8250 Guns (packed 2 per card)
1	GT6B	Solid State Soldering Gun, 600°
1	GT7A	Solid State Soldering Gun, 700°
2	W8200	All-Purpose Soldering Gun
		3rd Row
24	RC60	Premium Alloy, Activated Rosin Core Solder
		4th Row
1	D550PK	Heavy-Duty Soldering Gun Kit
1	D550	Heavy-Duty Soldering Gun
1	601K	Mini-Shop Kit
		5th Row
3	8200PK	All-Purpose Soldering Gun Kit

Overall Display Size including tools: 65"H x 36"W x 16"D

Shipping Weight: 93 lbs.

MD12 Marksman Soldering Irons Display

Popularly priced, universally accepted "Marksman" Soldering Irons, on an attractive merchandising display for pegboard mounting on wall or Weller Tool Center. Provides high visibility in the location best suited to the individual distributor's layout.

Contains stock assortment, listed left-to-right:

Quantity	Catalog Number	Description
3	SP23K	Soldering Iron Kit with 25-watt Iron
3	SP23	25-watt Soldering Iron
3	SP40	40-watt Soldering Iron
3	SP80	80-watt Soldering Iron

Overall Display Size including tools: 19½"H x 8"W x 13½"D

Shipping Weight: 8 lbs.

RT48 Soldering Gun Tip Merchandiser

Displays 8 different skin-packed tips for all current and recently discontinued models of Weller models Soldering Guns (except Solid State). Attractive wire rack which can be optionally pegboard-mounted or free-standing for counter display.

Contains stock assortment, listed left-to-right:

Quantity	Catalog Number	Description
		Top Row
12	7135	Soldering Tip for Models 8100, 8200, & D440 Guns (Packed 2 per card)
6	7135N	Soldering Tip with Nuts, for Models 8100, 8200, & D440
6	6110	Cutting Tip with Nuts, for Models 8100, 8200 & D440
6	6120	Smoothing Tip with Nuts, for Models 8100, 8200, & D440
		Bottom Row
12	7250	Soldering Tip for Models D550 & 8250 Guns (packed 2 per card)
6	6130	Cutting Tip with Nuts, for Models D550 & 8250
6	6140	Smoothing Tip with Nuts, for Models D550 & 8250
6	7250N	Soldering Tip with Nuts, for Models D550 & 8250

Overall Display Size including tools: 14½"H x 14"W x 4"D

Shipping Weight: 5 lbs.

Weller® Merchandising Displays

MS108 Mini-Shop Accessory Merchandiser

Features 30 different items to tempt every owner of a Mini-Shop and to invite non-owners to investigate this versatile tool. Extra accessories offer the customer additional workshop capability and provide the distributor or dealer with repeat traffic and additional profit.

Contains stock assortment, listed left-to-right:

Quantity	Catalog Number	Description
		Top Row
3	MS201	Cup Brush
3	MS202	Disc Brush
3	MS203	Wire Brush
3	MS204	Abrasive Band, 50 Grit
3	MS205	Abrasive Band, 120 Grit
3	MS206	Sanding Disc, 80 Grit
3	MS207	Sanding Disc, 120 Grit
3	MS208	Felt Wheel
3	MS209	Rubber Wheel
		2nd Row
3	MS210	Cut Off Wheel
3	MS211	Expanding Wheel
3	MS212	Mandrel
3	MS213	Ball Cutter, 1/4" Diameter
3	MS214	Cylindrical Cutter, 1/4" Dia.
3	MS215	Collet, 1/32"
3	MS216	Collet, 1/16"
3	MS217	Collet, 3/32"
3	MS218	Collet, 1/8"
		3rd Row
3	MS219	Grinding Wheel, 1/2" x 1/2"
3	MS220	Grinding Wheel, 1/2" x 3/8"
3	MS221	Grinding Wheel, 3/4" x 3/8"
3	MS222	Grinding Wheel, 3/4" x 1/8"
3	MS223	Grinding Point, 1/4" x 5/8"
3	MS224	Grinding Point, 3/8" x 3/4"
3	MS225	Grinding Point, 1/2" x 3/32"
3	MS226	Dressing Stone
3	MS227	Drill, 1/8"
		4th Row
3	MS228	Wrench
3	MS231	Motor Brushes
3	MS232	Engraving Tip
3	MS204	Abrasive Band, 50 Grit
3	MS205	Abrasive Band, 120 Grit
3	MS208	Felt Wheel
3	MS210	Cut Off Wheel
3	MS213	Ball Cutter, 1/4" Diameter
3	MS214	Cylindrical Cutter, 1/4" Dia.

Overall Display Size including tools:
25"H x 17"W x 6"D
Shipping Weight: 11 lbs.

Weller® Tool Wall Modules

TW-40 Marksman Soldering Irons and Kits

These popularly priced, universally accepted "Marksman" Soldering irons and kits feature stainless steel barrels, replaceable tips and heat/impact-resistant handles. The TW-40 features the four most wanted versions for the hobbyist and home workshop.

Contents:

Quantity	Catalog Number	Description
2	SP23	25 Watt Featherweight Iron
2	SP40	40 Watt Pencil Iron
2	SP80	80 Watt Medium-Duty Iron
4	SP23K	25 Watt Soldering Kit

Overall Size: 16" × 29" (A)
TW40A-refill assortment only.

TW-42 Heavy Duty Gun Module

Featuring the highest output gun with pre-tinned heavy copper tips. Kit also contains 2 spare untinned tips, tip changing wrench, flux brush, soldering aid tool, coil of 40/60 rosin-core solder, sturdy plastic carrying case, plus "Soldering Hints" booklet.

Contents:

Quantity	Catalog Number	Description
2	D550PK	8-Piece Heavy Duty Soldering Kit

Overall Size: 16" × 13" (C)
TW-42A: refill assortment only.

TW-103 All Purpose Gun Module

Everything needed to make soldering easy featuring the ever popular Weller model 8200 dual heat soldering gun; 8200 PK, 8-piece kit; plus replacement tips.

Contents:

Quantity	Catalog Number	Description
3	8200 W	All Purpose gun/carded
3	8200PK	8-Piece Kit
3	7135	Copper Soldering Tip
3	6110	Cutting tip

Overall Size: 16" × 29" (A)
TW-103A: refill assortment only.

TW-104 Temperature Controlled Iron Module

High quality portable tools with the benefit of controlled output and temperature. Temperature selection (600°, 700° or 800°F) by merely changing tips. Light blue handles, 60 watt and 100 watt irons plus extra tips.

Contents:

Quantity	Catalog Number	Description
2	W60	60 Watt Iron
2	W100	100 Watt Iron
2	CT5A7	1/16"-700° Tip for W60 Iron
2	CT5C7	1/8"-700° Tip for W60 Iron
2	CT5E7	1/4"-700° Tip for W60 Iron
2	CT6D7	3/16"-700° Tip for W100 Iron
2	CT6E7	1/4"-700° Tip for W100 Iron
2	CT6F7	3/8"-700° Tip for W100 Iron

Overall Size: 16" × 13" (C)
TW-104A: refill assortment only.

Weller® Tool Wall Modules



TW-105 Iron Module

Displays an ideal selection for both the professional and the do-it-yourselfer. The SP series irons are ideal for the home workshop and the WP series irons are top quality industrial grade tools. Features 8 of the most requested tips.

Contents:

Quantity	Catalog Number	Description
3	SP23	25 Watt Featherweight Iron
3	SP40	40 Watt Pencil Iron
3	SP80	80 Watt Medium-Duty Iron
3	SP23K	25 Watt Soldering Kit
3	WP25	25 Watt Professional Iron
3	WP40	40 Watt Professional Iron
3	MT1	1/8" Cone Shape Tip for SP23
3	MT2	1/8" Screwdriver Tip for SP23
3	MT3	1/8" Chisel Tip for SP23
3	MT10	1/4" Chisel Tip for SP40
3	MT20	3/8" Chisel Tip for SP80
3	ST1	1/16" Screwdriver Tip for WP Irons
3	ST2	3/32" Screwdriver Tip for WP Irons
3	ST3	1/8" Screwdriver Tip for WP Irons

Overall Size: 16" × 29" (A)
TW-105A: refill assortment only.

TW-201 Hobby Iron Module

Everything you need to become the best place in town to shop for the high quality soldering hobbyist demand.

Contents:

Quantity	Catalog Number	Description
2	W100	Controlled-Output 100 Watt Iron
2	GT7A	Solid State Soldering Gun
2	SP40	40 Watt Lightweight Pencil Iron
2	SP80	80 Watt Medium-Duty Iron
2	SPG80	Stained Glass Iron

Overall Size: 16" × 29" (A)
TW-201A: refill assortment only.

TW-202 Hobby Tips and Accessories Module

The perfect companion to the TW201, gives you the accessories to build repeat business in the fast growing market.

Contents:

Quantity	Catalog Number	Description
2	7A	Replacement Power/Head/GT7A
3	CT6E7	1/4" Screwdriver Tip for W100
3	CT6F7	3/8" Screwdriver Tip for W100
3	MT10	1/4" Chisel Tip for SP80
3	MTG20	3/8" Iron Plated Chisel for SPG80
3	MTG21	1/4" Iron Plated Chisel for SPG80

Overall Size: 16" × 13" (C)
TW-202A: refill assortment only.



TW-203 Hobby Mini-Shop Module

The Model 620K, 14 piece mini-shop kit is a beginners complete workshop. The accessories are for all mini-shop power units.

Contents:

Quantity	Catalog Number	Description
2	620K	14 Piece Mini-Shop Kit
2	MS250	Polishing Kit
2	MS251	Sanding Kit
2	MS252	Grinding Kit
2	MS253	Cutting Kit
2	MS202	Disc Brush
2	MS203	Wire Brush
2	MS222	Grinding Wheel
2	MS216	Collet (1/16")
2	MS211	Expanding Drum
2	MS212	Mandrel
2	MS215	Collet (1/32")
2	MS232	Engraving Tip
2	MS217	Collet (3/32")
2	MS226	Dressing Stone

Overall Size: 16" × 29" (A)
TW-203A: refill assortment only.

Weller® Tool Wall Modules

TW-209 21 Piece Mini-Shop Kit Module

The power unit has a precision-wound permanent-magnet motor with a 28,000 RPM output speed. The 621K comes complete with 14 accessories, convenient plastic carrying case and includes a booklet which illustrates use of each accessory.

Contents:

Quantity	Catalog Number	Description
2	621K	21 Piece Mini-Shop Kit

Overall Size: 16" × 13" (C)
TW-209A: refill assortment only.

TW-210 Variable Speed Mini-Shop Module

The power unit's output speed is adjustable by means of a continuously variable, solid-state control knob on the base of the unit, giving speeds from 5,000 to 28,000 RPM. Permits user to match working speed to the requirements of the material being machined.

Contents:

Quantity	Catalog Number	Description
2	641K	Variable Speed 21-Piece Mini-Shop Kit

Overall Size: 16" × 13" (C)
TW-210A: refill assortment only.

numerical index

CATALOG NO.		PAGE
DSTCP	De-Soldering Adaptor	5
ETA	Screwdriver Tip	3
ETB	Screwdriver Tip	3
ETC	Screwdriver Tip	3
ETD	Screwdriver Tip	3
ETH	Screwdriver Tip	3
ETK	Long Screwdriver Tip	3
ETL	Long Screwdriver Tip	3
ETO	Long Conical Tip	3
ETS	Conical Tip	3
ETP	Conical Tip	3
GT	Gunhandle, Cord & Trigger	9
MP	Miniature Soldering Station	5
WTCPN	Soldering Station	4
WTCPZ	Zero Voltage Soldering Station	5
DST1	De-Soldering Tiplet	8
MT1	Cone Shape Tip	11 & 12
SFA1	Iron Holder	8
ST1	Screwdriver Tip	8
DST2	De-Soldering Tiplet	8
MT2	Screwdriver Tip	11
ST2	Screwdriver Tip	8
DST3	De-Soldering Tiplet	8
MT3	Chisel Tip	11
ST3	Screwdriver Tip	8
DST4	De-Soldering Tip	8
ST4	Screwdriver Tip	8
CT5A6	Screwdriver Tip	7
CT5B6	Screwdriver Tip	7
CT5C6	Screwdriver Tip	7
CT5D6	Screwdriver Tip	7
CT5E6	Screwdriver Tip	7
CT5A7	Screwdriver Tip	7
CT5B7	Screwdriver Tip	7
CT5C7	Screwdriver Tip	7
CT5D7	Screwdriver Tip	7
CT5E7	Screwdriver Tip	7
CT5A8	Screwdriver Tip	7
CT5B8	Screwdriver Tip	7
CT5C8	Screwdriver Tip	7
CT5D8	Screwdriver Tip	7
CT5E8	Screwdriver Tip	7
DST5	De-Soldering Tiplet	8
MT5	Woodburning Tip	11
ST5	Single Flat Tip	8
6B	Soldering Gun Power Head	9
CT6C6	Screwdriver Tip	7
CT6D6	Screwdriver Tip	7
CT6E6	Screwdriver Tip	7
CT6F6	Screwdriver Tip	7
CT62C	Screwdriver Tip	7
CT6D7	Screwdriver Tip	7
CT6E7	Screwdriver Tip	7
CT6F7	Screwdriver Tip	7
CT6C8	Screwdriver Tip	7
CT6D8	Screwdriver Tip	7
CT6E8	Screwdriver Tip	7
CT6F8	Screwdriver Tip	7
DST6	De-Soldering Tiplet	8
GT6B	Soldering Gun	9
GT6B-3	Soldering Gun	9
MT6	Smoothing Tip	11
PTA6	Screwdriver Tip	4
PTAA6	Single Flat Tip	4
PTB6	Screwdriver Tip	4
PTBB6	Single Flat Tip	4
PTC6	Screwdriver Tip	4
PTCC6	Single Flat Tip	4
PTD6	Screwdriver Tip	4
PTDD6	Single Flat Tip	4
PTE6	Screwdriver Tip	4
PTF6	Conical Flat Tip	4
PTH6	Screwdriver Tip	4
PTK6	Long Screwdriver Tip	4
PTL6	Long Screwdriver Tip	4
PTM6	Long Screwdriver Tip	4
PTO6	Long Conical Tip	4
PTP6	Conical Tip	4
PTR6	Narrow Screwdriver Tip	4
PTS6	Long Conical Tip	4
ST6	Screwdriver Tip	8
7A	Soldering Gun Power Head	9
GT7A	Soldering Gun	9
GT7A3	Soldering Gun	9
MT7	Macrame Tip	11-12
PTA7	Screwdriver Tip	4
PTAA7	Single Flat Tip	4
PTB7	Screwdriver Tip	4

CATALOG NO.		PAGE
PTBB7	Single Flat Tip	4
PTC7	Screwdriver Tip	4
PTCC7	Single Flat Tip	4
PTD7	Screwdriver Tip	4
PTDD7	Single Flat Tip	4
PTE7	Screwdriver Tip	4
PTF7	Conical Flat Tip	4
PTH7	Screwdriver Tip	4
PTK7	Long Screwdriver Tip	4
PTL7	Long Screwdriver Tip	4
PTM7	Long Screwdriver Tip	4
PTO7	Long Conical Tip	4
PTP7	Conical Tip	4
PTR7	Narrow Screwdriver Tip	4
PTS7	Long Conical Tip	4
ST7	Conical Tip	8
PTA8	Screwdriver Tip	4
PTAA8	Single Flat Tip	4
PTB8	Screwdriver Tip	4
PTBB8	Single Flat Tip	4
PTC8	Screwdriver Tip	4
PTCC8	Single Flat Tip	4
PTD8	Screwdriver Tip	4
PTDD8	Single Flat Tip	4
PTE8	Screwdriver Tip	4
PTF8	Conical Flat Tip	4
PTH8	Screwdriver Tip	4
PTK8	Long Screwdriver Tip	4
PTL8	Long Screwdriver Tip	4
PTM8	Long Screwdriver Tip	4
PTO8	Long Conical Tip	4
PTP8	Conical Tip	4
PTR8	Narrow Screwdriver Tip	4
PTS8	Long Conical Tip	4
ST8	Narrow Screwdriver Tip	8
MT10	Chisel Tip	11
HK11	Blade and Chuck	12
MD12	Merchandising Display	17
TCP12	Field Soldering Iron	8
MT20	Chisel Tip	11
MTG20	Stained Glass Tip	12
MTG21	Stained Glass Tip	12
SP23	Soldering Iron	11
SP23HK	Hot Knife	12
SP23K	Soldering Iron Kit	12
SP23MS	Macrame Slicer/Splicer	12
TCP24	Field Soldering Iron	8
PH25	Soldering Tool Stand	8
WP25	Soldering Iron	8
WP25-3	Soldering Iron	8
MT30	Chisel Tip	11
MTG30	Stained Glass Tip	11-12
AC40	Acid-Core Solder	9
DS40	De-Soldering Tool	8
DS40-3	De-Soldering Tool	8
MT40	Chisel Tip	11
RC40	Rosin-Core Solder	9
SP40	Soldering Iron	11
WP40	Soldering Iron	8
WP40-3	Soldering Iron	8
RT48	Merchandising Display	17
BA60	Barrel Nut Assembly	4
DS60	De-Soldering Adaptor	7
PH60	Soldering Tool Stand	7
RC60	Rosin-Core Solder	9
SFA60	Soldering Tool Stand	7
SFW60	Spring Funnel	7
SP60	Sponge	7
SW60	Switch Assembly	4
W60	Soldering Iron	7
W60-3	Soldering Iron	7
SP80	Soldering Iron	11
SPG80	Stained Glass Iron	12
DS100	De-Soldering Re-Soldering Station	6
PH100	Soldering Tool Stand	7
SFA100	Soldering Tool Stand	7
SFW100	Spring Funnel	7
W100	Soldering Iron	7
W100-3	Soldering Iron	7
WC100	Cordless Soldering Iron	13
WC100K	Cordless Soldering Iron Kit	13
DS101	Soldering Iron	6
MP101	Power Unit	5
DS102	De-Soldering Iron	6
DS103	Collector Tube Assembly	6

CATALOG NO.		PAGE
DS104	Clean-Out Tool	6
DS105	Sponge Holder/ Clean Out Tool	6
DS106	Sponge	6
DS107	Tool Holder	6
DS108	Retainer Springs	6
MS108	Merchandising Display	17
DS110	De-Soldering Tiplet	6
DS111	De-Soldering Tiplet	6
WC111	Soldering Tip	13
DS112	De-Soldering Tiplet	6
WC112	Soldering Tip	13
DS113	De-Soldering Tiplet	6
WC113	Soldering Tip	13
DS114	De-Soldering Tiplet	6
WC114	Soldering Tip	10
DS115	De-Soldering Tiplet	6
DS116	De-Soldering Tiplet	6
DS117	De-Soldering Tiplet	6
PHM120	Soldering Stand	5
SP120	Soldering Iron	11
WM120	Pencil Thin Soldering Iron	5
MP126	Soldering Pencil	5
MP127	Soldering Pencil	5
MP131	Micro Point Tip	5
MP132	Bent Conical Tip	5
MP133	Spade Tip	5
MP134	Bent Conical Tip	5
MP135	Single Flat Tip	5
MP136	Narrow Screwdriver Tip	5
MP137	Screwdriver Tip	5
MP138	Chisel Tip	5
MP156	Miniature Soldering Station	5
MP157	Miniature Soldering Station	5
SP175	Soldering Iron	11
MP201	Transformer	5
TC201	Soldering Pencil	4
TC201F	Zero Voltage Soldering Pencil	5
MS201-209	Mini Shop Parts & Accessories	15
MS231-232	Mini-Shop Parts & Accessories	15
DS202	De-Soldering Station Installation Kit	6
MP202	Sponge	5
TC202	Power Unit	4
DS203	Fuses	6
TC203	Cord Set w/Handle	4
DS204	Filter	6
TC204	Iron Holder w/Funnel	4
DS205	In Line Filter	6
EC205	Sponge	3
TC205	Sponge	4
TC206	Tip Tray	4
TC207	Switch/Light	4
EC208	Heater Assembly	3
TC208	Heater Element	4
EC209	Control Board	3
EC210	Display Board	3
MP210	Barrel Nut Assembly	5
EC211	Power Transformer	3
EC212	Circuit Breaker	3
MP213	Funnel	5
MP214	Iron Holder Assembly	5
DS217	De-Soldering Head	6
DS218	De-Soldering Head	6
DS220	Vacuum Hose	6
DS225	Transducer Assembly	6
230K	Hobby Kit	13
250K	Electronic Tool Kit	13
AC303P	De-Soldering Bulb	9
MP303	Iron Receptable	5
MP304	Switch Light	5
DS500	Temperature Controlled De-Soldering Station	6
D550	Soldering Gun	10
D550PK	Soldering Gun Kit	10
D550-3	Soldering Gun	10
601	Mini-Shop Power Unit	14
601K	Mini-Shop Kit	14
620K	Mini-Shop Kit	14
621K	Mini-Shop Kit	14
641K	Mini-Shop Kit	14
651K	Mini-Shop Kit	14
EC1000	Temperature-Controlled Station	3
EC1002	Power Unit	3
EC1201	Soldering Iron w/ETA Tip	3
EC2000	Temperature-Controlled Station w/Digital Display	3
EC2002	Power Unit	3
6110	Cutting Tip	11
6120	Smoothing Tip	11
6130	Cutting Tip	11
6140	Smoothing Tip	11
7135	Soldering Tip	11
7135N	Soldering Tip	11
7250	Soldering Tip	11
7250N	Soldering Tip	11
8125	Soldering Tip	11
8125N	Soldering Tip	11
8200	Soldering Gun	10
8200PK	Soldering Gun Kit	10
8200W	Soldering Gun	10
8200-3	Soldering Gun	10
Tool Wall Modules		
TW40	Iron Module	18
TW42	Gun Module	18
TW 103	Gun Module	18
TW104	Temp. Control Irons	18
TW105	Iron Module	19
TW201	Hobby Irons	19
TW202	Tips/Accessories	19
TW203	Hobby Mini Shop	19
TW209	Mini Shop	20
TW210	Mini Shop	20

Document provided free at www.StevenJohnson.com - Not For Resale

Weller® Soldering Equipment, Power and Hand Tools, Kits, and Accessories

Catalog 603

The Cooper Group

COOPER INDUSTRIES

BOKER® • CRESCENT® • LUFKIN® • NICHOLSON®
PLUMB® • WELLER® • WISS® • XCELITE®

P. O. BOX 728, APEX, NORTH CAROLINA 27502 • (919) 362-7510

PRINTED IN U.S.A. 41M TDR3281 5/81

55007